

# **DURO** **TANK**<sup>®</sup>

*'BUILT TOUGH, PROVEN TOUGH'*



**Duro Cube**  
**1,000L**

**SPEC SHEET**

Size	Safe Fill (L)	Weight (kg)	Length (mm)	Width (mm)	Height (mm)
1,000L	1,000L	630	1140	1140	1500

### Standard Features:

- Designed and manufactured in Australia to Australian Standards
- Self bunded (double wall)
- Manway for access to inner tank
- Fork Lift Pockets and Under tank visibility for visual inspection
- Stackable whilst full
- 4 Lift points for easy moving and transportation
- Calibrated dipstick with safe fill level, located in a Lockable Spill Box
- Safety signage for Australian regulations

### Optional Pumps:





- 12v/24v Pump (with or without Solar Battery kit)
- 240v Pump
- Diesel or Petrol Driven Pumps
- Ebsray Pumps
- Regent Pumps

### Optional Accessories:

- 10m, 20m or 30m Heavy Duty Retractable Hose Reel
- 1-10m Loose Hose
- Emergency Stop, Battery Isolator and Reflective Mine Tape
- High Mast Assembly
- LED Light Kits
- Fuel Management Systems
- Reconnectable Breakaway Coupling
- Ocio Tank Level Gauge
- Spill Kits & Fire Extinguishers
- 250T Drive Over Spill Grate
- Credit Card Reader (24/7 public sites)
- Auto Shutoff Nozzle
- Wiggins Nozzle
- Single or Dual door pump cabinets







REV	DATE	DETAILS	BY	APPD

**GENERAL NOTES**  
 ALL DIMENSIONS ARE IN MILLIMETERS (mm) U.N.O  
 GENERAL TOLERANCE U.N.O  
 X ±0.5  
 X.X ±0.1  
 X.XX ±0.05  
 Angular ±0.25°  
 REMOVE ALL SHARP EDGES AND BURRS  
 PAINTING MANUFACTURER IN ACCORDANCE  
 MATERIAL GR250

2 West St, Lake Cargelligo NSW 2672  
 Phone: 1300 629 802  
 Email: sales@durotank.com.au  
 Web: www.durotank.com.au

**DURO TANK**  
 'BUILT TOUGH, PROVEN TOUGH'

 THIRD ANGLE PROJECTION 1:5 STANDARD FINISH 200/200	TITLE	
	LAYOUTS	
DRN: MWH	SHEET	DWG
DATE: 27.02.2020	A3	DC010
CHK:	NO:	DO NOT SCALE U.N.O
		PAGE 02 OF 02